

## TYREinflate 2000



### Powerbank-Function

Can be used to charge different electronic devices such as cell phones etc.



### LED-Light

High quality LED light for the display as well as for the flashlight function.



### Digital & Auto Stop

Digital backlit display and Auto Stop function when pre-set pressure is reached.



### 2-year-OSRAM guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products.



### Compact rechargeable tyre inflator

The OSRAM TYREinflate 2000 is a rechargeable tire pump with digital backlit display for easier and more accurate pressure measurements and inflation of tires that displays pressure values in BAR, kPA and PSI. The OSRAM TYREinflate 2000 has an internal memory and thanks to the memory function up to four different values for different tires can be programmed and stored. It is also equipped with an auto-stop function: the OSRAM TYREinflate 2000 stops automatically when the correct and preset pressure is reached. Through the included USB cable, the OSRAM TYREinflate 2000 is rechargeable, and no 12V outlet is required for power supply, so this is not only for inflating car tires, but can also be used for inflating bicycle, scooter and motorcycle tires. The lightweight and compact design of the

OSRAM TYREinflate 2000 makes it ideal for on-the-go use and can be taken almost anywhere. With the included storage bag, simply store in the glove compartment of the car, a bag or rucksack. A bracket for mounting and storage on a bicycle is included. Thanks to the powerbank-function, the OSRAM TYREinflate 2000 can also be used as a charger for electronic devices such as e.g. a mobile phone. In addition, the integrated flashlight function can provide illumination at night or in poor lighting conditions. Also included is a 2-piece adapter set that can be used as a connector for bikes, balls and other inflatables with Presta valves.

OSRAM offers a 2-year guarantee\* on this product.

\* for precise conditions please refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

# Product datasheet

## Technical data

### Product information

Inflation time	<2mins (0-80 PSI Bicycle tyre)
Max Pressure	120PSI / 8.3 bar
Air Hose Length	14.5 cm
Charge Time (h)	ca. 3 Hours
Display Size	30 x 155 mm
Measuring Units	PSI, kPa, bar
Accuracy (bar)	0-1.5 PSI


### General Product Information

Global order reference	OTIR2000
------------------------	----------

### Electrical Data

Nominal wattage	67.00 W
Nominal voltage	3.7 V
Operating Voltage	Rechargeable Battery (5200 mAh)
Power Source	USB Cable

### Physical Attributes & Dimensions



Length	70.0 mm
Width	70.0 mm
Height	170 mm

### Operating Conditions

Noise Level (dB)	83 dB
------------------	-------

### Additional product data

## Product datasheet

<b>Display Type</b>	Digital
<b>Recommended to Use With</b>	Bicycles, Motorbikes, Cars

### Capabilities

<b>Accessories</b>	Adaptors for bicycles & small sports inflatable. USB charging cable, Powerbank facility, LED light, storage bag, bicycle bracket
<b>Fuse</b>	18 A

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
<b>Candidate list substance 1</b>	Lead
<b>CAS No. of substance 1</b>	7439-92-1
<b>Safe use instruction</b>	The identification of the Candidate List substance is sufficient to allow safe use of the article.
<b>Declaration no. in SCIP database</b>	674be9b0-45aa-4d89-9050-1de10cf19353

#### Slimme extra's



#### Utilizzo semplice

Display digitale di facile lettura  
Quattro impostazioni di pressione programmabili  
Arresto automatico digitale per un gonfiaggio preciso  
Opzioni unità di pressione Psi, BAR e kPA



#### Extras inteligentes



ref\_pim\_amsproductinfographic  
S

ref\_pim\_amsproductinfographic  
S

ref\_pim\_amsproductinfographic  
S

# Product datasheet

## Simple to use



ref\_pim\_amsproductinfographic  
S

## Funkcja powerbanku



ref\_pim\_amsproductinfographic  
S

## What's in the box?



ref\_pim\_amsproductinfographic  
S

## Sprytne dodatki



ref\_pim\_amsproductinfographic  
S

## Compresseur rechargeable



ref\_pim\_amsproductinfographic  
S

## Trucs et Astuces



ref\_pim\_amsproductinfographic  
S

## Wiederaufladbare Reifenpumpe



ref\_pim\_amsproductinfographic  
S

## Eenvoudig te gebruiken



ref\_pim\_amsproductinfographic  
S

## Función Powerbank



ref\_pim\_amsproductinfographic  
S

# Product datasheet

## Powerbank functie



ref\_pim\_amsproductinfographic  
S

## Clever extras



ref\_pim\_amsproductinfographic  
S

## Lieferumfang des OTIR2000



ref\_pim\_amsproductinfographic  
S

## Powerbank Funktion



ref\_pim\_amsproductinfographic  
S

## Elements fournis



ref\_pim\_amsproductinfographic  
S

## Clevere Extras



ref\_pim\_amsproductinfographic  
S

## Rechargeable tyre inflator

Robust design to inflate car, motorcycle, bicycle and scooter tyres wherever you are

Compact and lightweight for easy storage and transportation

Car top up of 25-35psi: <3 mins  
Bicycle tyre from flat: <2 mins



ref\_pim\_amsproductinfographic  
S

## Powerbank funktion



ref\_pim\_amsproductinfographic  
S

## Oplaadbare bandenpomp

Robuust ontwerp om auto-, motor-, fiets- en scooterbanden op te pompen, waar u ook bent

Compact en lichtgewicht voor eenvoudig opbergen en vervoeren

Autoband oppompen: 25-35psi <3 minuten  
Fietsband(leeg) oppompen: <2 minuten



ref\_pim\_amsproductinfographic  
S

## Product datasheet

### Akumulatorowy kompresor do opon

Kompresor do pompowania opon samochodowych, motocyklowych, rowerowych i skuterów

Kompaktowy i lekki, łatwy w przechowywaniu i transporcie

Dopompowanie samochodu przy 25-35 psi: <3 min  
Opona rowerowa od zera: <2 min



### Facile d'utilisation

Affichage digital

4 niveaux de pression programmables

Gonflage précis avec arrêt automatique

Options d'unités de pression en Psi, BAR et kPA



### Laddningsbar däckkompressor

Robust design för att fylla upp däck för bil, motorcykel, cykel och skoter - var du än är

Kompakt och smidig för enkel förvaring

Fyller bildäck 25-35psi på: <3 minuter  
Fyller cykeldäck på: <2 minuter



ref\_pim\_amsproductinfographic

ref\_pim\_amsproductinfographic

ref\_pim\_amsproductinfographic

### Compressore per pneumatici ricaricabile

Design robusto per gonfiare pneumatici di auto, moto, biciclette e scooter ovunque tu sia

Compatto e leggero per un facile stoccaggio e trasporto

Ricarica auto di 25-35 psi: <3 min  
Pneumatico per bicicletta da piatto: <2 minuti



### Fonction Powerbank

Port USB 5V pour toute recharge rapide

Port USB 2.4A pour recharge de tout appareil mobile

Câble USB fourni

Capuchon anti poussière



### Einfach zu bedienen

Gut lesbare digitale Anzeige

Memory Funktion um bis zu vier Werte zu programmieren

Digitaler Autostopp für präzises Aufpumpen

Druckanzeige in Psi, BAR und kPa



ref\_pim\_amsproductinfographic

ref\_pim\_amsproductinfographic

ref\_pim\_amsproductinfographic

### Funzione powerbank

Porta di ricarica USB da 5 V per una ricarica rapida

Porta di ricarica USB da 2.4 A per caricare i dispositivi mobili

Cavo USB in dotazione

Attacchi con cappuccio antipolvere



### Prosty w użyciu

Czytelny wyświetlacz cyfrowy

Cztery programowalne ustawienia ciśnienia

Funkcja Auto-Stop – automatyczne zatrzymanie po osiągnięciu odpowiedniego ciśnienia

Cięnienie w jednostkach Psi, BAR i kPa



### Enkel att använda

Lättläst digital display

Fyra programmerbara tryckinställningar

Digitalt autostopp för exakt däcktryck

Tryckenheter: Psi, BAR och kPa



ref\_pim\_amsproductinfographic

ref\_pim\_amsproductinfographic

ref\_pim\_amsproductinfographic




## Product datasheet

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172198769	TYRE inflate 2000	Folding carton box 1	92 mm x 89 mm x 192 mm	1.57 dm <sup>3</sup>	638.00 g
4062172198776	TYRE inflate 2000	Shipping carton box 4	204 mm x 198 mm x 226 mm	9.13 dm <sup>3</sup>	2782.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction TYREinflate 2000
 Movie application TYREinflate OTIR2000 How to Video (DE)
 Movie application TYREinflate OTIR2000 How to Video (EN)

#### Safety advice

The product may reach a noise level of up to 83 dB

#### Legal advice

CE and EAC compliant

RoHS 2 201/65/EU and RoHS 3 2015/863

REACH Declaration of Conformity

MSDS (for rechargeable batteries)

\* for precise conditions please refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee) Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

